

PRODUCT GUIDE 2024



vitex.gr/en



METEO WORKS

The special composition of Acrylan MAX makes it so resistant to climate change by offering brighter, color-stable and clear facades, even when applied in between unpredictable extreme weather conditions.

Delays in application due to extreme weather conditions are avoided and the painting season is extended.

Acrylan MAX can be applied even when air, surface and material temperature ranges from 5°C to 45°C for 50% RH.



Application from 5°C to 45°C for 50% RH



30-60 minutes before the appearance of rain or dew* and recoat in 2 hours



White and unlimited number of shades through Vitex Coloring System



Up to 10 % with water



750mL, 3L, 10L



15-17m² for properly prepared surfaces

*depending on the shade





- The leading Greek-owned architectural paints company.
- With the most advanced paint factory in Southeastern Europe. Certified and awarded for its high level operational and safety standards.
- With sales to over 20 countries around the globe.

Symbol Glossary

- Dilution rate with water
- Dilution rate with solvent
- Coverage
- Touch drying time
- Application by brush
- Application by roller
- Application by spray gun
- Application by spatula
- Application by stainless steel putty knife

Navigation Guide

A. In summary tables

1. **Select** the use

General Use	Application			
	High traffic areas	Hygiene sensitive areas	Area with humidity	Fire Protection
✓	✓			
✓				
✓		✓		

2. Check **basic characteristics**

Characteristics		
ECO	Wet scrub resistance	Vitex Coloring System
		✓
	✓	✓
✓	✓	✓

3. **Prepare** the surface properly before application

Preparation		
Old / loose surfaces	Stained surfaces	New surfaces
Acrylan Unco Eco, Durovit	Blanco Eco, Vitosin	Acrylan Unco Eco, Ακρόρι Ακρουλκό 100%
Acrylan Unco Eco, Durovit	Blanco Eco, Vitosin	Acrylan Unco Eco, Ακρόρι Ακρουλκό 100%
Acrylan Unco Eco	Blanco Eco	Acrylan Unco Eco, Blanco Eco

B. Check the detailed product characteristics in each category.

Γ. For optimal results, follow the How-To Paint guide for painting and protecting walls, ceilings, metallic and wooden surfaces.

Contents

	Page
Certifications	6
Interior walls and ceilings	12
Exterior walls and roofs	22
Roof Insulations System	32
Metal and wooden surfaces	34
Wood and stone protection	42
Surface preparation	50
Construction applications	58
Special applications	64
How-To Paint Guide	68

ECO - EPD

Environmental Product Declaration

The ECO-EPD is an Environmental Product Declaration verified by an independent competent body and contributes to the formation of a complete responsible brand providing reliable and methodologically tested information for the evaluation of environmental impact. In accordance with international standards EN 15804 & ISO 14025 the ECO-EPD offers information for the environmental impact across their life cycle.



CERTIFICATIONS



VAIRO Healthcare Technology

ECO - EPD

Very low VOC emissions for best indoor air quality

Microbiologically tested

Ecological paints

Hypoallergenic Paint certified from the British Allergy Foundation

Easy to clean

High resistance to frequent wet scrubbing

Paints suitable for children's toys

Virtually odorless

Green Building Rating System

Anti-fungi paints

Low CO₂ emissions

Packaging of 50% recycled plastic

"Cool" paints

Paints with UV filters for protection from sunlight

Paints with polyurethane resins for enhanced durability

Fire Protection

	VAIRO Healthcare Technology	ECO - EPD	Very low VOC emissions for best indoor air quality	Microbiologically tested	Ecological paints	Hypoallergenic Paint certified from the British Allergy Foundation	Easy to clean	High resistance to frequent wet scrubbing	Paints suitable for children's toys	Virtually odorless	Green Building Rating System	Anti-fungi paints	Low CO ₂ emissions	Packaging of 50% recycled plastic	"Cool" paints	Paints with UV filters for protection from sunlight	Paints with polyurethane resins for enhanced durability	Fire Protection
Vitex with VAIRO	✓	✓	✓				✓	✓		✓	✓	✓	✓					
Vitex Care Eggshell		✓	✓	✓		✓	✓	✓		✓	✓	✓	✓	✓				
Vitex Care		✓	✓	✓		✓	✓	✓		✓	✓	✓	✓	✓				
Vitex Classic		✓	✓					✓		✓	✓							
Vitex Eco		✓	✓	✓	✓			✓		✓	✓							
Vito Plus				✓						✓								
Vitex Kitchen and Bath												✓						
Vito Eco					✓													
Acrylan MAX		✓											✓		✓			
Acrylan		✓													✓			
Acrylan Elastic															✓			
Acrylan Silicon															✓			
Vito Acrylic															✓			
HyRoof Hybrid PU															✓			
Vitacryl															✓			
Vito Roof															✓			
Acrylan Unco Eco			✓		✓						✓							
Grip 360 Primer			✓								✓							
Blanco Eco					✓													
Aquavit Eco		✓	✓	✓	✓				✓		✓					✓	✓	
Velatura Eco Water			✓		✓						✓							
Platinum PU																		✓
Diaxy! Plus Water																✓	✓	
Diaxy! Plus Solvent																✓	✓	
Lussolac Water									✓							✓		
Lussolac Solvent																✓	✓	
Decking Oil																		✓
Marelac Water																✓	✓	
Marelac Solvent																✓	✓	
Wooden Floor Varnish																		✓
Granikot Fire Resistant																		✓

Vitex Care / Vitex Care Eggshell

Best -In- Class-overall performance mat or eggshell emulsion wall paint. Top Care protection for surfaces, people and environment, with EPD (Environmental Product Declaration).



**HyRoof Hybrid PU
HyPoxy Primer**

Hybrid elastomeric waterproofing roof coating, certified for over 10 years of protection *



WATERPROOFING SOLUTIONS

Integrated waterproofing solutions from foundations to roof! *



EXTERNAL THERMAL INSULATION AND ANTI-CRACK PROTECTION SYSTEM

Certified external Insulation Composite System that improves building's energy classification and reduces its maintenance cost. **3 in 1 solution: Thermal insulation - Plaster that can be colored - Unlimited number of color shades ***



Granikot Acrylic **Granikot Linea** **Granikot Silicon** **Granikot Fire Resistant**

Granikot Plasters with acrylic or silicone composition with high resistance to weather conditions for internal and external use.

Vitex with Vairo

Antiviral and antibacterial eggshell emulsion wall paint for interior use.



Vitex Classic

Premium quality emulsion paint for interior use, with superior spreading rate and hiding power.

Acrylan Max

Ultra Durable Nano-Acrylic Paint.



Aquavit PU Eco

Ecological PU acrylic water based enamel paint for interior and exterior use.



Delac

Transparent acrylic stone varnish. It enhances the natural color of the surface and protects the stone from humidity and stain absorption.



Grip 360

Mat, waterborne multi-bonding primer. It offers great adhesion and anchorage on difficult absorbent and non-absorbent surfaces.



Heavy Metal Silicon Varnish

Solvent based silicon anticorrosive tough varnish. It offers excellent protection, maintaining the rusty effect image.



Heavy Metal Silicon

Solvent based silicon alkyd tough enamel with excellent durability. Can be colored in thousands of shades.



Diaxy Plus

Protective and decorative polyurethane water-based penetration varnish for interior and exterior wooden surfaces.



Pool Paint

Two Component Solvent-based Epoxy Paint For Pools

SPECIALISATION IN COLOR

Our specialized Chromatography department and our Chief Colorist closely collaborate with international color associations such as **Color Guild** and **NCS** that monitor and predict **international trends**. Our fan decks and color cards are developed in accordance with the most **advanced conformity and precision standards**. The unique **Vitex Coloring System** with **24 colorants** provides special characteristics in terms of shade durability and accuracy that perfectly match with our fan decks and color cards and ensure repeatability.



Vitex Global Collection

Inspired by modern international color trends in decoration, in strategic partnership with the Color Guild Association.



Global Exterior

The 160 most popular exterior paint colors in Greece and internationally. Enhanced with HD (High Durability) pigments specially designed for outdoor use.



Color Card Vitex Global Pocket

With specially selected shades from Vitex Global Collection.



Vitex NCS Collection

In collaboration with the Swedish NCS Institute.

AUTHORIZED
NCS NETWORK
MEMBER



Vitex Colorfull Collection

Inspired by Greece.




Color Card Diaxy Plus / Lussolac

Shades to protect and beauty wood



TRENDS Magazine

International trends shades of the year by Color Guild Colorists.



Color Card Heavy Metal Silicon and Heavy Metal Silicon Effect

Shades with gloss, satin, metallic and textured finish for metal surfaces.



Color Card Vitex Metallico

Shades for a modern and impressive metallic finish.



Color Card - Emulsion and Cement paints

Basic shades for interior and exterior use.























Global 1.320
Collection UNIQUE
SHADES

The new decoration guide of Vitex in exclusive collaboration with the International Color Guild Organization:

- **INSPIRES** you with trends and ideas for the renewal of your space
- **TRAINS** you for the best color combinations
- **PROTECTS** you with state-of-the-art product proposals
- **ENCOURAGES** you with quick and easy styles

INTERIOR WALLS & CEILINGS

Emulsion paints	Finish	General use	Application								Preparation		
			Hygiene sensitive areas	High traffic areas	Areas with mold	ECO EPD	ECO	Indoor Air Quality	Wet scrub resistance	Coloring	Old / loose surfaces	Stained surfaces	New surfaces
Vitex Care Eggshell	Eggshell	✓		✓	✓					✓	Acrylan Unco Eco, Durovit	Blanco Eco, Vitosin	Acrylan Unco Eco, Primer 100% Acrylic
Vitex Care	Mat	✓		✓	✓					✓	Acrylan Unco Eco, Durovit	Blanco Eco, Vitosin	Acrylan Unco Eco, Primer 100% Acrylic
Vitex with VAIRO	Eggshell	✓		✓	✓					✓	Acrylan Unco Eco, Durovit	Blanco Eco, Vitosin	Acrylan Unco Eco, Primer 100% Acrylic
Vitex Classic	Mat	✓								✓	Acrylan Unco Eco, Durovit	Blanco Eco, Vitosin	Acrylan Unco Eco, Primer 100% Acrylic
Vitex Eco	Mat	✓								✓	Acrylan Unco Eco	Blanco Eco	Acrylan Unco Eco
Aspire	Mat	✓								✓	Acrylan Unco Eco, Durovit	Blanco Eco, Vitosin	Acrylan Unco Eco, Primer 100% Acrylic
Vito Plus	Mat	✓								✓	Acrylan Unco Eco, Durovit	Blanco Eco, Vitosin	Acrylan Unco Eco, Primer 100% Acrylic
Vito Eco	Mat	✓								✓	Acrylan Unco Eco	Blanco Eco	Acrylan Unco Eco, Primer 100% Acrylic
Vitex Kitchen and Bath	Mat	✓			✓					✓	Acrylan Unco Eco, Durovit	Blanco Eco, Vitosin	Acrylan Unco Eco, Primer 100% Acrylic
Vista Emulsion	Mat	✓									Acrylan Unco Eco, Durovit	Blanco Eco, Vitosin	Acrylan Unco Eco, Primer 100% Acrylic
Vista Distemper	Mat	✓											
Vitex Metallico	Metallic	✓								✓	Acrylan Unco Eco, Durovit	Blanco Eco, Vitosin	Acrylan Unco Eco, Primer 100% Acrylic
Motivo Miracle Sand	Metallic	✓								✓	Motivo Primer	Motivo Primer	Motivo Primer
Vi Pol	Mat	✓											
Vi Plus	Mat	✓											
Vi Emulsion	Mat	✓											

Vitex Care Eggshell

Best - In - Class overall performance eggshell emulsion wall paint for interior use. Top Care protection for surfaces, people and environment.

- ✓ Superior performance and stain resistance / removal
- ✓ IAC GOLD, A+ Indoor Air Quality
- ✓ Low environmental impact in life cycle

Shades	Packaging
White	750mL, 3L, 10L,
Bases W, M, TR	1L, 3L, 10L



0-10%



15-18 m²/L



30-60'



Thousands of shades

Vitex Care

Best - In - Class overall performance mat emulsion wall paint for interior use. Top Care protection for surfaces, people and environment.

- ✓ Superior performance and stain resistance / removal
- ✓ IAC GOLD, A+ Indoor Air Quality
- ✓ Low environmental impact in life cycle

Shades	Packaging
White	750mL, 3L, 10L
Bases W, M, TR	1L, 3L, 10L



0-10%



15-18 m²/L



30-60'



Thousands of shades

UNIQUE PAINT WITH 10 WALL, HEALTH AND ENVIRONMENT CERTIFICATIONS



* Shade bases: W=White, M=Medium & TR=Transparent



Vitex with VAIRO

Antiviral - antibacterial eggshell emulsion wall paint for interior use, based on VAIRO Healthcare technology. Due to its innovative technology, the dry paint film has defense against virus transmission and inhibits the bacteria growth as well on it.

- ✓ Paint tested against corona virus SARS-CoV2 with antiviral activity > 99.9%
- ✓ IAC GOLD, A+ Indoor Air Quality
- ✓ Easy stain removal

Shades	Packaging
White	750mL, 3L, 10L
Bases W, M, TR	1L, 3L, 10L



0-10%
 15-18 m²/L
 30-60'

Thousands of shades

Vitex Classic

Premium quality mat emulsion paint.

- ✓ Superior spreading rate and hiding power
- ✓ Maximum resistance to frequent washing
- ✓ IAC GOLD & A+ Indoor Air Quality
- ✓ Exceptional whiteness
- ✓ Virtually odorless

Shades	Packaging
White	375mL, 750mL, 3L, 10L, 16L
Bases W, M, TR	1L, 3L, 10L
Basics	180mL, 375mL, 750mL, 3L



0-10%
 15-18 m²/L
 30-60'

Thousands of shades

Vitex Eco

Premium Quality Ecological Emulsion Paint. Percentage of the product's sales supports the activities of Make-A-Wish.

- ✓ Ecological
- ✓ Virtually odorless
- ✓ IAC GOLD, A+ Indoor Air Quality
- ✓ High durability to frequent washing
- ✓ Superior opacity

Shades	Packaging
White	750mL, 3L, 10L
Bases W, M, TR	1L, 3L, 10L



0-10%
 15-18 m²/L
 30-60'

Thousands of shades

* Shade bases: W=White, M=Medium & TR=Transparent

BREAKTHROUGH TECHNOLOGY

WITH ANTIVIRAL AND ANTIBACTERIAL ACTIVITY ON PAINTED SURFACES



Vitex with Vairo

Emulsion wall paint with eggshell finish for interior use, **with >99,9% tested effectiveness against SARS-CoV2**, other Human Coronaviruses, Influenza virus H1N1 and Bacteria that cause nosocomial infections of contact with painted surfaces. Due to its innovative technology, the dry paint film **has defense against virus transmission** and **inhibits the bacteria growth** as well on it.

Use biocides safely. Always read the label and product information before use.



Aspire

- Mat emulsion paint for interior use.
- ✓ High durability to frequent washing
 - ✓ Low odour
 - ✓ Great opacity

Shades	Packaging
White	750mL, 3L, 10L, 15L
Bases W, M, TR	1L, 3L, 10L

0-10%
 13-16 m²/L
 30-60'

Thousands of shades



Vitex Kitchen and Bath

- Emulsion paint for fungi protection for interior use.
- ✓ Fungi protection
 - ✓ Great spreading rate and hiding power
 - ✓ Ideal for areas with high humidity and vapors (kitchens, bathrooms, etc.)

Shades	Packaging
White	750mL, 3L, 9L
Bases W	1L, 3L
Kitchen and Bath Cleaner	500mL

0-10%
 12-14 m²/L
 30-60'

Thousands of shades



Vito Plus

- Certified antimicrobial mat emulsion paint with silver ions.
- ✓ Certified antibacterial activity
 - ✓ Low odour formula
 - ✓ Great hiding power and coverage
 - ✓ Ideal for hygiene sensitive areas
 - ✓ Ideal for frequent reapplications and professional use

Shades	Packaging
White	750mL, 3L, 9L, 15L
Bases W, M, TR	1L, 3L, 9L

0-10%
 13-16 m²/L
 30-60'

Thousands of shades



Vista Emulsion

- Mat emulsion paint for general use.
- ✓ Good spreading rate and hiding power
 - ✓ Easy application and spreading
 - ✓ Ideal for frequent reapplication
 - ✓ Ideal for commercial areas
 - ✓ Mat finish

Shades	Packaging
White	3L, 9L, 15L

0-10%
 10-12 m²/L
 30-60'

Thousands of shades



Vito Eco Emulsion

- The professional's ecological solution in emulsion paints.
- ✓ Ecological
 - ✓ Great spreading rate and hiding power
 - ✓ Easy application and levelling

Shades	Packaging
White	750mL, 3L, 9L, 15L
Bases W, M	1L, 3L, 9L

0-10%
 12-14 m²/L
 30-60'

Thousands of shades



Vista Distemper

- Distemper paint.
- ✓ Superior whiteness
 - ✓ Ideal for stairwells, warehouses and ceilings
 - ✓ Allows surfaces to breathe

Shades	Packaging
White	3L, 9L, 15L

10-20%
 10-12 m²/L
 30-60'



Vitex Metallico

Water-based paint with metallic finish.

- ✓ Impressive metallic finish for exceptional, easily created deco styles
- ✓ Suitable for all surfaces, including wood, plastic and metal
- ✓ In 3 ready-made colors & 30 more shades through Vitex Coloring System

Shades	Packaging
Silver, Gold, Bronze	700mL, 2,1L
Base Pandora	700mL, 2,1L

0-10%
 10-12 m²/L
 1-2 h



Vi Pol

Distemper water-based paint for interior use

- ✓ Superior whiteness
- ✓ Good hiding power
- ✓ For ceilings of kitchens, staircases, storehouses

Shades	Packaging
White	3L, 9L, 15L

10-20%
 9-10 m²/L
 30-60'



Vi Plus

Water-dispersion decorative paint for interior use

- ✓ Good workability and hiding power
- ✓ For walls, ceilings, plasterboards
- ✓ Allows surfaces to “breathe”

Shades	Packaging
White	3L, 9L, 15L

0-5%
 10-13 m²/L
 30-60'



Vi Emulsion

Breathing water-dispersion decorative paint for interior use

- ✓ For walls, ceilings, plasterboards
- ✓ Allows surfaces to breathe

Shades	Packaging
White	3L, 9L, 15L

0-5%
 8-10 m²/L
 30-60'



NEW



MOTIVO Miracle Sand















Water-based paint, with an impressive textured finish on every surface.

- ✓ With pearlescent pigments and silica sand
- ✓ It can create a unique effect.
- ✓ It can be applied to walls, pillars, ceilings, plasterboards with low odour during its application.
- ✓ In 100 uniquely deep shades through Vitex Coloring System from 3 bases silver, gold and titanium.

Shades	Packaging
Silver, Gold, Titanium	1L, 3L

ready to use
 10-12 m²/L
 1-2 h



Final coat	Category	General Use	Application					Characteristics			Preparation		
			Adverse weather conditions	Covering small cracks & waterproofing	High humidity & pollution	Energy saving	Low traffic floors	ECO EPD	Cool paint	Vitex Coloring System	Old surfaces	New surfaces	
Acrylan MAX	NANO-ACRYLIC innovation paint	✓	MAX		MAX						also available in HD shades	Acrylan Unco Eco, Durovit, Vitosin	Acrylan Unco Eco
Acrylan	100% acrylic paint	✓	✓								also available in HD shades	Acrylan Unco Eco, Durovit, Vitosin	Acrylan Unco Eco
Acrylan Elastic	100% acrylic paint	✓	✓	✓							also available in HD shades	Acrylan Unco Eco, Durovit, Vitosin	Acrylan Unco Eco
Acrylan Silicon	100% acrylic paint	✓	✓		✓						also available in HD shades	Acrylan Unco Eco	Acrylan Unco Eco
Vito Acrylic	Acrylic paint	✓									✓	Acrylan Unco Eco, Durovit, Vitosin	Acrylan Unco Eco, Durovit
Vista Acrylic	Acrylic paint	✓										Acrylan Unco Eco, Durovit, Vitosin	Acrylan Unco Eco, Durovit
Floorguard Hybrid PU	Hybrid concrete paint (water-based)	✓	✓				✓				✓	Acrylan Unco, Durovit	
Cement Paint	Concrete paint (water-based)	✓	✓									Acrylan Unco Eco, Durovit, Vitosin	
Vito Concrete Paint	Concrete paint (water-based)	✓										Acrylan Unco Eco, Durovit, Vitosin	Acrylan Unco Eco, Durovit
Cimentol	Concrete paint (solvent-based)	✓	✓				✓					Durovit	
Relief	Textured coating	✓	✓									Acrylan Unco Eco, Durovit, Vitosin	Acrylan Unco Eco, Durovit
Plasters													
Granikot Acrylic	Ready-to-use plaster	✓	✓	✓			✓				also available in HD shades	Granikot Primer	Granikot Primer
Granikot Linea	Ready-to-use plaster	✓	✓	✓			✓				in selected HD shades	Granikot Primer	Granikot Primer
Granikot Silicone	Ready-to-use plaster	✓	✓	✓	✓		✓				also available in HD shades	Granikot Primer	Granikot Primer
Granikot Fire Resistant	Ready-to-use plaster	✓	✓	✓			✓				also available in HD shades	Granikot Primer	Granikot Primer
Roof insulation													
HyRoof Hybrid PU	Hybrid PU waterproofing coating	✓	✓	✓	✓		✓					Hyroof Primer Hybrid PU	Hyroof Primer Hybrid PU
Vitacryl	Acrylic waterproofing paint	✓	✓	✓			✓					Durovit	Durovit
Vito Roof Insulation Paint	Acrylic waterproofing paint	✓	✓				✓					Durovit	Durovit



Acrylan MAX

Ultra durable Nano acrylic paint.

- ✓ MAX strength and adhesion
- ✓ MAX resistance to rain and air pollutants
- ✓ MAX shades stability
- ✓ MAX surface breathing
- ✓ Certified cool paint
- ✓ Specially enhanced HD shades for maximum durability
- ✓ Low environmental impact in life cycle

Shades	Packaging
White	750mL, 3L, 10L
Bases W, M, TR	1L, 3L, 10L

0-10%
 15-17 m²/L
 30-60'

Thousands of shades



Acrylan

Premium quality acrylic paint

- ✓ Certified cool 100% acrylic paint
- ✓ Excellent performance and coverage
- ✓ Excellent resistance to adverse weather conditions
- ✓ Specially enhanced HD shades for maximum durability
- ✓ Low environmental impact in life cycle

Shades	Packaging
White	750mL, 3L, 10L, 16L
Bases W, M, TR	1L, 3L, 10L

0-10%
 15-17 m²/L
 30-60'

Thousands of shades



Acrylan Elastic

Elastomeric insulating acrylic paint

- ✓ Certified cool paint with special 100% acrylic UV-crosslinking elastomeric resins
- ✓ 4-in-1: coating, waterproofing, microcrack filling, breathing
- ✓ Ideal for regions with extreme temperature fluctuations
- ✓ Specially enhanced high durability (HD) shades for optimum resistance to UV radiation

Shades	Packaging
White	3L, 10L
Bases W, M, TR	3L, 10L

0-10%
 11-13 m²/L
 2-3 h

Thousands of shades

* Shade bases: W=White, M=Medium & TR=Transparent



Acrylan Silicon

Silicone acrylic paint

- ✓ Maximum waterproofing and vapor permeability
- ✓ Ideal for areas with high humidity and air pollution
- ✓ Long lasting result without blisters, cracking, peeling or mold
- ✓ Certified cool 100% acrylic paint
- ✓ Specially enhanced high durability (HD) shades for optimum resistance to UV radiation

Shades	Packaging
White	3L, 10L
Bases W, M	3L, 10L

0-10%
 13-15 m²/L
 30-60'

Thousands of shades



Vito Acrylic

The professional's solution in acrylic paints

- ✓ High performance and coverage
- ✓ Very good workability and easy application
- ✓ Certified cool paint

Shades	Packaging
White	3L, 9L, 15L
Bases W, M	1L, 3L, 9L

0-10%
 10-12 m²/L
 30-60'

Thousands of shades

* Shade bases: W=White, M=Medium & TR=Transparent



Vista Acrylic

Acrylic paint for general use

- ✓ High spreading rate and hiding power
- ✓ Ideal for exterior surfaces that require frequent recoating

Shades	Packaging
White	3L, 9L, 15L

0-10%
 10-12 m²/L
 30-60'

 Thousands of shades



Floorguard Hybrid PU

Acrylic PU Water-Based Floor Paint

- ✓ Applied directly to cement / concrete floors
- ✓ For exterior and interior floors subjected to low-traffic use
- ✓ Resistant to wear / chemicals / weather conditions

Shades	Packaging
White	750mL, 3L, 9,750L
Bases W, TR	750mL, 3L, 9,750L

5-20%
 12-14 m²/L
 30-60'

 Thousands of shades



Cement Paint

High Quality Acrylic Water-Based Paint For Cement Surfaces

- ✓ Premium quality and durability concrete paint
- ✓ Direct application on concrete, plaster, brick and other alkaline surfaces
- ✓ Available in white and 4 ready-made shades

Shades	Packaging
White	750mL, 3L, 10L
Red, Terracotta, Cement, Anthracite, Steel	750mL, 3L, 10L

8-10%
 15-17 m²/L
 30-60'



Vito Concrete Paint

Water-based concrete paint for professional use

- ✓ High durability
- ✓ For exterior and interior use
- ✓ Forms a hard, non-cracking finish

Shades	Packaging
Anthracite	750mL, 3L, 9L

8-10%
 10-12 m²/L
 30-60'



Cimentol

Acrylic Paint For Concrete Surfaces, Solvent-based

- ✓ Great durability under adverse weather conditions and atmospheric pollution
- ✓ Strong adhesion and high hardness on walls, concrete floors, tiles, garages, tennis courts, etc

Shades	Packaging
White	750mL, 2,5L
Yellow, Ochre, Grain, Red terracota, Green Tennis, Blue, Coal, Carbon	750mL, 2,5L

5% T300/T350
 10-12 m²/L
 20-40'



Relief

Acrylic textured coating

- ✓ High durability
- ✓ For exterior and interior use
- ✓ Forms a hard, non-cracking finish

Shades	Packaging
White	5kg, 15kg
Other shades may be produced using VITEX's basic colours	

no dilution 5-10% for thinner result
 1-1,5 m²/kg
 30-60'

* Shade bases: W=White, M=Medium & TR=Transparent



Granikot Acrylic

Acrylic Plaster

- ✓ Exceptional resistance properties against weather and UV radiation
- ✓ Excellent adhesion, firmness and elasticity

Shades	Packaging
White & Base W Flat finish	5 kg, 25kg
White & Base W Grafiato finish	25 kg
Base TR Flat & Grafiato finish	25 kg

0-2%
 1,4-3,2 Kg/m²
 4-6 h



Granikot Fire Resistant

Non-Combustible Plaster

- ✓ Certified class A2-s1, d0 to reaction to fire
- ✓ Exceptional resistance properties against weather and UV radiation
- ✓ Excellent adhesion, firmness and elasticity

Shades	Packaging
White, Base W & Base TR Flat finish	25kg

0-2%
 1,7-3,2 Kg/m²
 4-6 h



Granikot Linea

Acrylic Plaster

- ✓ Great adhesiveness, firmness and elasticity
- ✓ Weather-resistant
- ✓ Very good quality acrylic plaster

Shades	Packaging
White & Base W Flat finish	5 kg, 25kg

0-2%
 1,7-2,5 Kg/m²
 4-6 h



Granikot Primer

Acrylic Textured Primer

- ✓ Ideal for interior and exterior smooth or rough surfaces
- ✓ Improves the hiding power and adhesion of Granikot plasters

Shades	Packaging
White / Base	3 L, 10 L

0-3%
 10-12 m²/L
 45'



Granikot Silicone

Silicon Plaster

- ✓ Hydrophobic, water-repellent and weather-resistant
- ✓ Great water vapour permeability
- ✓ Excellent resistance to ultraviolet (UV) radiation and heat

Shades	Packaging
White & Base W Flat finish	5 kg, 25kg
White & Base W Grafiato finish	25 kg
Base TR Flat & Grafiato finish	25 kg

0-2%
 1,4-3,2 Kg/m²
 4-6 h



The new Plaster Finish texture fan of VitexTherm system, will inspire for unique finish on the walls!



* Shade bases: W=White, M=Medium & TR=Transparent

* Shade bases: W=White, M=Medium & TR=Transparent



HyRoof Hybrid PU

Hybrid elastomeric waterproofing roof coating, certified for over 10 years of protection

- ✓ Provides excellent protection, allowing moisture to escape
- ✓ 93% reflectivity for reduced cooling costs
- ✓ 300% elasticity for seamless covering of cracks and defects
- ✓ Easy and odorless application to all substrates
- ✓ Certified cool paint

Shades	Packaging
White	750mL, 3L, 10L, 16L



1 m²/L

2-3 h

NEW



HyPoxy Primer

Two-component water-based epoxy primer with very strong adhesion on glossy surfaces, mosaics, old insulation, cementitious substrates, etc.

- ✓ Ideal for horizontal surfaces, with strong adhesion to glossy surfaces

Shades	Packaging
Transparent	1L, 3L, 10L



8-10 m²/L

6-8 h



HyRoof Hybrid PU Primer

Hybrid water-based polyurethane primer

- ✓ Penetrates, waterproofs and stabilizes surfaces
- ✓ Strong adhesion to concrete, asphalt membranes, cement tiles, acrylic paints, etc.
- ✓ Ideal for priming before the application of HyRoof Hybrid PU

Shades	Packaging
Semi transparent	5L, 15L



10-12 m²/L

45'



HyRoof Reinforced Polyester Tape

Polyester tape 50 gr/m² for reinforcement in corners, parapets, joints, cracks and gutters.

Roll
10 cm x 100 m
30 cm x 100 m



HyRoof Reinforced Polyester Mesh

Reinforced polyester mesh 50 gr/m². Easy immersion and compatibility to substrates. It improves HyRoof insulation system performance.

Roll
1 m x 100 m



Vitacryl Roof Insulation Paint

Elastomeric Roof Coating

- ✓ Great adhesion to all substrates
- ✓ High elasticity
- ✓ Contributes to energy saving
- ✓ Certified cool paint

Shades	Packaging
White & Brownish red	750mL, 3L, 10L



0-10%

3 m²/L

2-3 h



Vito Roof Insulation Paint

Acrylic based roof insulation paint

- ✓ Economical and reliable solution for waterproofing
- ✓ Good adhesion to all substrates
- ✓ Contributes to energy saving
- ✓ Certified cool paint

Shades	Packaging
White	3L, 9L










0-10%








2-3 m²/L

2-3 h

INTEGRATED HYBRID ROOF INSULATION SYSTEM WITH OVER 10 YEARS OF PROTECTION

1. Preparation				2. Reinforcement				3. Top coat			
Elastomeric Putty		Hypoxy Primer		HyRoof Hybrid PU Primer		HyRoof Polyester Reinforcing Tape		HyRoof Reinforced Polyester Mesh		HyRoof Hybrid PU	
<p>Elastomeric acrylic putty</p> <ul style="list-style-type: none"> ✓ Ideal for cracks up to 1 cm ✓ Minimal shrinking ✓ High resistance to adverse weather conditions 		<p>Two Component water-based Epoxy Primer</p> <ul style="list-style-type: none"> ✓ Ideal for horizontal surfaces ✓ Strong adhesion to glossy surfaces ✓ Exceptional mechanical properties 		<p>Hybrid water-based polyurethane primer</p> <ul style="list-style-type: none"> ✓ Penetrates, waterproofs and stabilizes surfaces ✓ Strong adhesion to concrete, asphalt membranes, cement tiles, acrylic paints, etc. ✓ Ideal for priming before the application of HyRoof Hybrid PU 		<p>HyRoof Polyester Reinforcing Tape</p> <ul style="list-style-type: none"> ✓ For reinforcement in corners, parapets, joints, cracks and gutters 		<p>HyRoof Reinforced Polyester Mesh</p> <ul style="list-style-type: none"> ✓ Perfect application and impregnation 		<p>Hybrid Elastomeric Roof Insulation Paint</p> <ul style="list-style-type: none"> ✓ 93% reflectivity for reduced cooling costs - Cool paint ✓ Provides perfect waterproofing, allowing trapped moisture to escape ✓ Easy and odorless application to all substrates ✓ 300% elasticity for seamless covering of cracks and defects 	
										 	
Shades	Packaging	Shades	Packaging	Shades	Packaging	Packaging		Packaging		Shades	Packaging
Grey	400gr, 800 gr, 4kg	Transparent	1L, 3L, 10L	Semi transparent	5 L, 15 L	Rolls	10cm x 100m 30cm x 100m	Rolls	1m x 100m	White	750mL, 3L, 10L, 16L

METAL & WOODEN SURFACES

Enamels	Category	Finish	Exterior and interior use		Characteristics						Preparation			
			Wood	Metal	Microbiologically Tested	Indoor Air Quality	ECO	ECO EPD	High durability with silicone	Shades	Wooden surfaces	Metal surfaces	Glossy surfaces	
Verolac	Tough enamel	Gloss	✓	✓							44	Velatura	Anti-Rust Primer, Metal Primer, Minio	Primer for Glossy Surfaces, Wash Primer, Grip 360 Primer
Heavy Metal Silicon	Tough enamel with silicone	Gloss / Satin / Metalize	✓	✓						Can be colored in thousands of shades		Velatura	Anti-Rust Primer, Metal Primer, Minio	Primer for Glossy Surfaces, Wash Primer, Grip 360 Primer
Heavy Metal Silicon Effect	Tough enamel with silicone	Textured	✓	✓						Can be colored in 20 shades		Velatura	Anti-Rust Primer, Metal Primer, Minio	Primer for Glossy Surfaces, Wash Primer, Grip 360 Primer
Heavy Metal Silicon Varnish	Extra Tough Silicone Varnish	Gloss / Satin / Mat		✓						Colorless				
Direct-3 in 1	Tough enamel for direct application on rust	Gloss		✓							12			Primer for Glossy Surfaces, Wash Primer, Grip 360 Primer
Martelite	Hammer-effect enamel paint	Hammer-effect		✓							13		Wash Primer	Wash Primer
Syntol Super	Tough enamel paint for vehicles and machinery	Gloss		✓							38		Anti-Rust Primer, Metal Primer, Minio	Primer for Glossy Surfaces, Wash Primer, Grip 360 Primer
Vi Enamel	Tough enamel	Gloss		✓							18	Velatura	Vi Anti-Rust Primer	
Radiator	Enamel paint for radiators <100°C	Gloss		✓							White			
Chassis Coat	Enamel for vehicle chassis	Satin		✓							4			Primer for Glossy Surfaces, Wash Primer, Grip 360 Primer
Wood enamels														
Aquavit Eco	Wood enamel (water-based)	Gloss / Satin / Mat	✓	✓							Can be colored in thousands of shades	Velatura Eco	Anti-Rust Primer, Metal Primer, Minio	Primer for Glossy Surfaces, Wash Primer, Velatura Eco
Enamelo	Wood enamel (water-based)	Satin	✓	✓							Can be colored in thousands of shades	Velatura Eco	Anti-Rust Primer, Metal Primer, Minio	Primer for Glossy Surfaces, Wash Primer, Velatura Eco
Platinum	Wood enamel (solvent-based)	Gloss / Satin / Mat	✓	✓							Can be colored in thousands of shades	Velatura	Anti-Rust Primer, Metal Primer, Minio	Primer for Glossy Surfaces, Wash Primer, Grip 360 Primer



Verolac

Gloss Alkyd Enamel

- ✓ Perfect anticorrosive finish for all exterior and interior metal surfaces
- ✓ Great hardness and hiding power
- ✓ Gloss finish and color shades that remain unchanged over time

Shades	Packaging
White, Black, 42 ready-made shades	180mL, 375mL, 750mL, 2,5 L, 5L
Black mat	180mL, 375mL, 750mL, 2,5L

5% T300/T350 14-16 m²/L 2-3 h



Heavy Metal Silicon Effect

Silicone Alkyd Enamel With Textured Finish

- ✓ Unique silicone formulation for excellent durability on exterior and interior metal surfaces
- ✓ Gloss and shade that withstand time, adverse weather conditions and UV radiation
- ✓ For special decorative finish
- ✓ Superior hardness with no hardener required

Shades	Packaging
Graphite	750mL, 2,5L
Base Graphite	750mL 2,250L

5-15% T300/T350 7-9 m²/L 2-3 h



Heavy Metal Silicon

Extra Tough Silicone Alkyd Enamel

- ✓ Unique silicone formulation for excellent durability on exterior and interior metal surfaces
- ✓ Gloss and shade that withstand time, adverse weather conditions and UV radiation
- ✓ Superior hardness with no hardener required
- ✓ Can be colored in thousands of shades

Shades	Packaging
Gloss/ Satin White, Black, Cypress Green	750mL, 2,5L
Metalize Gold, Silver, Bronze	180mL, 375mL, 750mL
Bases W & TR Gloss & Satin	750mL 2,250L

5% T300/T350 14-16 m²/L 2-3 h



Heavy Metal Silicon Varnish

Extra Tough Silicone Varnish

- ✓ Unique silicone formulation for excellent durability on exterior and interior metallic surfaces
- ✓ High hardness and gloss unchanged over time and in weather conditions
- ✓ Possibility of mat finish on decorative metal surfaces
- ✓ Maintains the image of the rusty effect

Shades	Packaging
Colorless (Mat,Satin,Gloss)	750mL, 2,5L

5% T300/350 14-16 m²/L 3-4 h





Direct-3 in 1

Gloss Alkyd Enamel For Metal Surfaces Directly On Rust

- ✓ Direct application on rust without primer
- ✓ Great durability
- ✓ Excellent finish

Shades	Packaging
12 ready-made shades	750mL, 2,5L

0-15% T350
 4-8 m²/L
 30-60'



Martelite

Paint For Metal Surfaces with Hammer-Effect Finish

- ✓ Protection and decoration of metal surfaces
- ✓ Great durability

Shades	Packaging
13 ready-made shades	750mL, 2,5L

5% T350
 8-10 m²/L
 30-60'



Syntol Super

Extra Tough Enamel For Vehicle Bodywork And Machinery

- ✓ High durability and hiding power
- ✓ Ideal for coating vehicles, machinery and metal constructions
- ✓ Color shades withstand adverse weather conditions and washing

Shades	Packaging
38 ready-made shades	750mL, 2,5L

5% T300/350
 14-16 m²/L
 2-3 h





Vi Enamel

Durable, high-gloss enamel

- ✓ Suitable for interior and exterior use on metal surfaces
- ✓ High hardness and hiding power

Shades	Packaging
White, Black, 16 ready-made shades	650mL
White, Black	2,5L

5% T300/T350

12-14 m²/L

2-4 h



Radiater

Enamel suitable for heated metal surfaces

- ✓ Ideal for radiators and boiler covers
- ✓ No primer needed
- ✓ Excellent durability up to 100 °C
- ✓ No yellowing or peeling

Shades	Packaging
White	750mL, 2,5L

5% T300/T350

14-16 m²/L

2-3 h



Chassis Coat

Anticorrosive Solvent-Based Paint For Chassis / Frames

- ✓ Ideal for vehicle chassis/frames and new metal surfaces
- ✓ Fast drying with excellent resistance to fuels and washing
- ✓ Can also be used as anticorrosive undercoat

Shades	Packaging
Black, Grey, White, Brown	750mL, 2,5L

5% T300/T350

12-14 m²/L

1-2 h



Hardener

Air Dry Hardener

- ✓ Maximizes enamel hardness and durability
- ✓ Reduces drying time

Packaging
375mL, 750mL



Aquavit Eco

Ecological PU acrylic water based enamel paint for interior and exterior use

- ✓ Enriched with UV filters for enhanced durability in exterior use
- ✓ With polyurethane for optimal hardness and elasticity ratio
- ✓ Class A+ in Indoor Air Quality
- ✓ Low environmental impact in life cycle

Shades	Packaging
White Gloss, Satin & Mat	750mL, 2,5L
Bases W & TR Gloss, Satin & Mat	750mL, 2,250L

5-15%

12-15 m²/L

1-2 h



Enamelo

Acrylic Water-Based Enamel Paint

- ✓ Low-cost solution
- ✓ Very good hiding power and durability
- ✓ Low odour formulation

Shades	Packaging
White Satin	750mL, 2,5L

5-15%

12-15 m²/L

1-2 h



Platinum PU

High Quality PU Enamel Paint

- ✓ Premium quality wood enamel for exterior and interior use
- ✓ With polyurethane for optimized hardness to elasticity ratio
- ✓ Ideal for wooden surfaces such as doors, windows, cupboards, etc.
- ✓ High resistance to yellowing and washing

Shades	Packaging
White Gloss, Satin & Mat	750mL, 2,5L
Bases W & TR Gloss, Satin & Mat	750mL, 2,250L

2% T300/T350

16-18 m²/L

3-4 h



* Shade bases: W=White, M=Medium & TR=Transparent

Wood protection products	Category	Finish	Use		Characteristics					Before application	After application
			Interior	Exterior	Water based	Solvent based			Shades	New surfaces	
DiaxyL Plus	Penetration varnish	Natural	✓	✓	✓	✓	✓	✓	Colorless, 11 ready-made shades and 30 selected shades through Vitex Coloring System	DiaxyL Extra	
Lussolac	Varnish	Gloss / Satin / Mat	✓	✓	✓	✓	✓	✓	Colorless, 11 ready-made shades and 30 selected shades through Vitex Coloring System	DiaxyL Extra	
DiaxyL Extra	Preservative against insects	Natural		✓	✓	✓			Colorless		DiaxyL Plus, Lussolac, Marelac
Teak Oil	Penetration oil for hard wood	Natural	✓	✓		✓			Colorless		
Decking Oil	Penetration oil for decks	Natural		✓		✓	✓	✓	Colorless		
Marelac	Yacht varnish	High gloss		✓	✓	✓	✓	✓	Colorless	DiaxyL Extra	
Wooden Floor Varnish	Floor varnish	Gloss / Satin	✓		✓		✓		Colorless	Wooden Floor Primer	
Stone protection products											
Delac	Stone varnish	Natural	✓	✓		✓			Colorless		

DISCOVER THE NEW SHADES FOR WOOD

WATER BASED IN
 DIAXYL PLUS /
 LUSSOLAC
 COLOR CARD



SCAN HERE :



Diaxyl Plus

Polyurethane penetration varnish water and solvent-based

- ✓ Protective and decorative varnish for exterior and interior wooden surfaces
- ✓ With polyurethane and UV filters for excellent durability and resistance to adverse weather conditions and UV radiation
- ✓ Allows wood to "breathe"

Shades	Packaging
Colorless and 11 ready-made shades	750mL, 2,5L
30 shades (water based) through Vitex Coloring System	750mL, 2,250L

Ready to use

 12-16 m²/L
 2-3 h



Diaxyl Extra

Wood Preservative for exterior surfaces

- ✓ Effective protection against insects and fungi
- ✓ High penetration depth

Shades	Packaging
Colorless	750mL, 2,5L

Ready to use

 10 m²/L
 1-2 h



Lussolac Solvent-based

Solvent-based PU Wood Varnish

- ✓ Great elasticity and hardness for exterior and interior use
- ✓ Enriched with polyurethane and UV filters for optimum durability and resistance to weathering and sunlight

Shades	Packaging
Colorless Gloss, Satin & Mat	180mL , 750mL, 2,5L
11 ready-made shades, Gloss	180mL , 750mL

3% T300/T350
 12-16 m²/L
 3-4 h



Lussolac Water-based

Water-based PU Wood Varnish

- ✓ Great elasticity and hardness for exterior and interior use
- ✓ Enriched with polyurethane and UV filters for optimum durability and resistance to weathering and sunlight
- ✓ With certified suitability for children's toys

Shades	Packaging
Colorless Gloss, Satin & Mat	750mL, 2,5L
30 shades (Gloss) through Vitex Coloring System	750mL, 2,250L

0-10%
 12-14 m²/L
 1-2 h



Teak Oil

Wood Penetration Oil

- ✓ Penetration oil from mixture of modified natural oils enriched with wax
- ✓ Refreshes, preserves and protects the wood from intense sunlight and moisture

Shades	Packaging
Colorless	750mL

No dilution
 12-16 m²/L
 2-3 h



Decking Oil

Penetrating Oil For Exterior Wooden Decks

- ✓ For waterproofing and protection of wooden decks
- ✓ High resistance to chemicals and adverse weather conditions

Shades	Packaging
Colorless	2,5L, 5L

No dilution
 12-16 m²/L
 2-3 h





Marelac Solvent-based

Ultra Durable PU Wood Varnish Solvent-based

- ✓ Ideal for boats, yachts, ships, as well as doors, window frames and wooden furniture with seaside exposure
- ✓ High gloss protective film for maximum protection against weathering and sun with UV filters and HALS light stabilizers

Shades	Packaging
Colorless Gloss	750mL, 2,5L

5% T300/T350
 14-16 m²/L
 3-4 h



Wooden Floor Varnish

Polyurethane varnish for wooden floors

- ✓ Polyurethane varnish for high hardness and great resistance to abrasion, engraving and cleaning products
- ✓ Easy application on interior parquet, wooden floors and stairs from old and new wood

Shades	Packaging
Colorless, Gloss & Satin	1L, 2,5L

5%
 10-12 m²/L
 1-2 h



Marelac Water-based

Water-based Ultra Durable PU Wood Varnish

- ✓ High gloss protective film for maximum protection against weathering and sun with UV filters and HALS light stabilizers
- ✓ Water repellent ideal for wooden surfaces exposed to adverse weather conditions

Shades	Packaging
Colorless Gloss	750mL, 2,5L

0-10%
 10-12 m²/L
 1-2 h



Wooden Floor Primer

Water based one component transparent primer for wooden floors

- ✓ One component transparent primer for preparation and filling of wooden surfaces before the application of the top coat
- ✓ Easy application on interior parquet, wooden floors and stairs from old and new wood

Shades	Packaging
Colorless	1L, 2,5L

5%
 8-10 m²/L
 1-2 h



Delac

Stone varnish










- ✓ Stone penetration varnish for exterior and interior use
- ✓ Enhances the natural surface coloring and protects from humidity and stain absorption

Shades	Packaging
Colorless	750mL, 2,5L

No dilution
 10-12 m²/L
 1-2 h



SURFACE PREPARATION

Walls and ceilings	Category	Use								Characteristics					
		Exterior	Interior	Porous surfaces	Plaster, Concrete, Brick	Plasterboard	Cement board	Stained surfaces	Wood	ECO	Indoor air quality	Color	Recoat time (hours)	Dilution	
Acrylan Unco Eco	Ecological micronized silicone acrylic water primer	✓	✓	✓	✓	✓	✓						Semi-transparent	0-1	Water 0-100%
Durovit	Waterproofing acrylic solvent primer	✓	✓	✓	✓	✓	✓						Transparent	4-6	T300 30-100%
Primer - 100% Acrylic	100% acrylic water primer		✓		✓	✓	✓						Transparent	4-6	Water 300-400%
Gypsum Board Primer	White filling water-based plasterboard primer		✓			✓							White	6-8	Water 5-15%
Grip 360 Primer	Water-based Multi-bond Primer	✓	✓	✓		✓	✓	✓	✓				Colored according to final shade	6-8	Water 5-15%
PreColor	Acrylic water primer colored	✓	✓		✓	✓	✓						Colored according to final shade	3-4	
Motivo Primer	Water-based Primer for decorative finishes		✓		✓	✓	✓						Colored according to final shade	6-8	Water 0-10%
Blanco Eco	Ecological white acrylic primer water insulating stain block primer	✓	✓		✓	✓	✓	✓	✓				White	2-3	Water 5-15%
Vitosin	White solvent insulating primer	✓	✓	✓	✓			✓	✓				White	4-6	T300/T350 5%
Wooden and other surfaces	Category	Exterior	Interior	Before top coat	Protection of new wooden surfaces	Protection from insects & fungi	Wooden floors	Aluminum / Galvanized steel /PVC / Glass	Wall	ECO			Color	Recoat time (hours)	Dilution
Velatura Eco	Ecological water based primer	✓	✓	✓				✓					White	6-8	Water 5-15%
Velatura	Solvent based primer	✓	✓	✓					✓				White	16-18	T300/T350 3%
Diaxy extra (page45)	Wood preservative against fungi and insects	✓			✓	✓							Colorless	24	
Wooden Floor Primer (page 49)	Primer for wooden floors		✓				✓						Colorless	4-6	Water 5%
Metal and other surfaces	Category	Exterior	Interior	Cold galvanizing	Anticorrosive protection	Aluminum Copper	Wood	Glass	PVC	ECO			Color	Recoat time (hours)	Dilution
Metal Primer	Solvent based primer for metal surfaces	✓	✓		✓		✓						White, Grey	20-24	T300/T350 5%
Anti-rust Primer	Anticorrosive primer for metal surfaces	✓			✓								Brown, Grey	20-24	T300/T350 5%
Vi Anti-Rust Primer	Anticorrosive primer	✓			✓								Dark Red, Grey	20-24	T300/T350 5%
Minio	Antioxidant primer against rust - without lead	✓			✓								Orange	20-24	T300/T350 5%
Galvanize	Cold galvanizing primer for metal surfaces	✓		✓	✓								Grey	9-12	T350 5%
Glossy Surfaces Primer	Solvent primer for glossy surfaces	✓				✓		✓	✓				Grey	16-18	T350 0-3%
Wash Primer	2-component anti-rust primer	✓			✓	✓		✓	✓				Yellow	6-8, <2d	



Acrylan Unco Eco

Ecological Silicone Acrylic Water-based Primer

- ✓ IAC GOLD & A+ Indoor Air Quality
- ✓ Maximum penetration into weak and porous surfaces
- ✓ Ideal for all exterior and interior surfaces
- ✓ Certified ecological and slightly colored

Shades	Packaging
Semi transparent	1L, 5L, 15L

0-100% depending on substrate's absorbency
 14-18 m²/L
 45'



HyPoxy Primer

Two-component water-based epoxy primer with very strong adhesion on glossy surfaces, mosaics, old insulation, cementitious substrates, etc.

- ✓ Ideal for horizontal surfaces, with strong adhesion to glossy surfaces

Shades	Packaging
Transparent	1L, 3L, 10L

8-10 m²/L
 6-8 h



Durovit

Waterproofing Acrylic Primer Solvent-Based

- ✓ For waterproofing and stabilization of all surfaces before the application of top coats
- ✓ Great resistance to moisture, allows surfaces to breathe

Shades	Packaging
Transparent	1L, 5L, 15L

30-100% T300
 14-16 m²/L
 60'



Grip 360 Primer

Water-based Multi-bond Primer

- ✓ Great adhesion and anchorage on difficult absorbent and non-absorbent surfaces
- ✓ Isolates and covers surfaces with old stains
- ✓ Can be colored improving the coverage of the final top coat
- ✓ For interior and exterior use

Shades	Packaging
White and thousands of shades through Vitex Coloring System	750mL, 2,5L

5-15%
 12-15 m²/L
 30-60'



Primer - 100% Acrylic

Waterproofing Acrylic Primer Water-Based

- ✓ Great adhesion on surfaces
- ✓ High spreading rate and user friendly application
- ✓ Dilution 3-4 parts water - 1 part primer

Shades	Packaging
Semi transparent	750mL, 3L, 10L

300-400%
 18-20 m²/L
 15-30'



Blanco Eco

White Ecological Acrylic Water-Based Primer

- ✓ High hiding power for stains (smoke, nicotine, yellowing, etc.) on exterior and interior surfaces
- ✓ Excellent as intermediate coat from dark to lighter shades
- ✓ For use before application of water-based paints

Shades	Packaging
White	750mL, 3L, 10L

5-15%
 11-13 m²/L
 30-60'





Gypsum Board Primer

High Quality White Gypsum-Board Primer

- ✓ Exceptional filling properties, fully equalizes absorbency differences between construction materials
- ✓ Perfect one-coat finish for interior use only

Shades	Packaging
White	3L, 10L

5-15%
 12-14 m²/L
 30-60'



Vitosin

Insulating solvent-based primer

- ✓ Perfect insulation for exterior and interior surfaces
- ✓ Ideal for coverage of surfaces stained with smoke, nicotine, mold, smog and other pollutants
- ✓ Exceptional resistance to water vapour and mold

Shades	Packaging
White	750mL, 2,5L, 10L

30-100% T300
 8-10 m²/L
 60'



PreColor

White Acrylic Water-based Primer that can be colored

- ✓ Enhances hiding power, reducing the number of top coat layers
- ✓ Improves the appearance, adhesion and durability of the top coat
- ✓ Can be colored for all top coats
- ✓ For exterior and interior use

Shades	Packaging
For final shades on transparent base, coloring is possible in 3 specific shades (yellow, red and grey) depending on the final shade. For final shades on white and medium base, coloring is possible according to the top coat.	750mL, 3L, 10L

0-10%
 10-12 m²/L
 30-60'



MOTIVO PRIMER

Water-based Primer for decorative finishes

- ✓ Creates a smooth textured substrate for Motivo Miracle Sand
- ✓ White and painted in 100 shades

Shades	Packaging
White	1L, 3L

0-10%
 8-10 m²/L
 30-60'



Velatura Eco

Ecological Primer For Water-Based Enamel Paints

- ✓ IAC GOLD & A+ Indoor Air Quality
- ✓ Excellent adhesion to wood, glass, hard PVC, aluminum and metal surfaces
- ✓ For interior and exterior use
- ✓ Covers and fills providing a perfect final finish

Shades	Packaging
White	750mL, 2,5L

5-15%
 11-14 m²/L
 30-60'



Velatura

Alkyd-Based Primer For Enamel Paints

- ✓ Ideal for exterior and interior wooden surfaces
- ✓ Excellent hiding power and levelling properties
- ✓ Excellent brushability
- ✓ Recoatable with water or solvent based enamel paints

Shades	Packaging
White	375mL, 750mL, 2,5L, 5L

3% T300/T350
 16-18 m²/L
 2-3 h





Metal Primer

Primer for metal surfaces

- ✓ High spreading rate and hiding power
- ✓ Excellent levelling properties and easy sanding

Shades	Packaging
White, Grey	375mL, 750mL, 2,5L, 5L, 10L

5% T300/T350 16-18 m²/L 45-60'



Anti-Rust Primer

Anticorrosive Primer for Metal Surfaces

- ✓ High anticorrosive protection
- ✓ Quick drying with great hiding power and elasticity

Shades	Packaging
Brown, Grey	375mL, 750mL, 2,5L, 5L

5% T300/T350 12-14 m²/L 45-60'



Vi Anti-Rust Primer

Anticorrosive primer

- ✓ Good anticorrosive protection
- ✓ Good hiding power and elasticity

Shades	Packaging
Dark Red, Grey	650mL, 2,5L

5% T300/T350 12-14 m²/L 30-60'



Minio

Lead-Free Anticorrosive Primer

- ✓ Full protection against oxidation
- ✓ Lead free

Shades	Packaging
Orange	375mL, 750mL, 2,5L

5% T300/T350 12-14 m²/L 45-60'



Galvanize

Cold galvanizing primer

- ✓ Suitable for metal constructions in industrial environments and seaside areas
- ✓ High long-lasting anticorrosive protection

Shades	Packaging
Grey	375mL, 750mL

5% T350 7-9 m²/L 45-60'



Glossy Surfaces Primer

Primer for glossy surfaces

- ✓ Excellent adhesion on aluminum, galvanized surfaces, stainless steel, copper, etc.
- ✓ Great adhesion and levelling properties

Shades	Packaging
Grey	750mL, 2,5L

0-3% T350 12-14 m²/L 45-60'



Wash Primer

2 component anticorrosive undercoat

- ✓ Ideal for aluminum, galvanized steel, polyester, glass and stainless steel surfaces
- ✓ Great adhesion to glossy surfaces

Shades	Packaging
Yellow	820mL

No dilution 10-12 m²/L 45-60'



CONSTRUCTION APPLICATIONS

Putties	Ready to use	Category	Use		Construction surfaces					Application			
			Interior	Exterior	Plaster Concrete Plasterboard Cement board	Brick	Wood	Metal	Aluminum	Priming	Top coat	Recoat time (hours)	
Visto Ready Fine	✓	Puttying of smooth surfaces	✓		✓						Acrylan Unco Eco, Durovit	Emulsion paints, Wood enamels	3-4
Visto Ready Smooth	✓	Puttying of highly smooth surfaces	✓		✓						Acrylan Unco Eco, Durovit	Emulsion paints, Wood enamels	3-4
Visto		Puttying / gap-filling	✓	✓	✓						Acrylan Unco Eco, 100% Acrylic Primer, Durovit	Emulsion paints, Acrylic paints, Wood enamels	7-8
Acrylic Putty	✓	Gap-filling	✓	✓	✓	✓	✓					Emulsion paints, Acrylic paints, Wood enamels	3-4
Elastomeric Putty	✓	Gap-filling for cracks up to 1cm	✓	✓	✓	✓	✓				Acrylan Unco Eco, Durovit	Emulsion paints, Acrylic paints, Wood enamels	24-48
Light Acrylic Putty	✓	Filling of small and larger holes & cracks	✓		✓	✓						Emulsion paints, Wood enamels	1-2
Silacryl Acrylic putty (cartridge)	✓	Filling of cracks and fissures	✓	✓	✓	✓	✓	✓	✓			Emulsion paints, Acrylic paints, Wood enamels	24
Silicones and foams													
Silomer 100 - Silicone	✓	Antimould sealing/ waterproofing	✓	✓			✓	✓	✓	✓			
Construction applications													
Superbond Primer	✓	Strong adhesion to smooth and non-absorbing surfaces	✓	✓	✓	✓	✓	✓					6-8
XBond Primer	✓	Multipurpose Strong adhesion to smooth and non-absorbing surfaces	✓	✓	✓	✓	✓	✓					8-10



Visto Ready Fine

Ready-to-use Finishing Putty

- ✓ For interior surfaces made of plaster, plasterboard or concrete

Shades	Packaging
White	5kg, 18kg



1 m²/kg

2-3 h



Visto Ready Smooth

Ready-to-use putty for very smooth finish

- ✓ For interior surfaces made of plaster, plasterboard or concrete for intense lighting or patterns

Shades	Packaging
White	5kg, 18kg



1 m²/kg

2-3 h



Visto

Acrylic spatula putty

- ✓ Ideal for stuccoing and troweling exteriors and interior surfaces

Shades	Packaging
White	5kg, 20kg



30-35

1 m²/kg

4-5 h



Acrylic Putty

Acrylic Repair Putty

- ✓ For exterior and interior surfaces of plaster, concrete and wood
- ✓ Excellent resistance to moisture and alkalinity

Shades	Packaging
White	400g, 800g, 5kg



2-3m²/kg

30'



Light Acrylic Putty

Light acrylic putty

- ✓ For large cracks and holes on interior walls, plasterboards and roofs
- ✓ Does not shrink and dries fast

Shades	Packaging
White	750mL



5-15'



EN 15651-1



7'

Silacryl Putty

Paintable acrylic tile grout

- ✓ For filling exterior & interior joints, seams, fissures and cracks
- ✓ Applied without primer

Shades	Packaging
White	280mL



EN 15651-1,
EN 15651-2,
EN 15651-3



Silomer 100 - Silicone

Sanitary silicone

- ✓ For jointing and waterproofing of window panes, aluminum, tiles and bathtubs
- ✓ Excellent resistance to humidity and water

Shades	Packaging
Transparent & White	280mL

NEW



0



8-12 m²/L



2-3 h



XBond

Multipurpose Strong Adhesion Quartz Primer

Quartz sand bonding primer based on acrylic resins with high alkaline strength, suitable for indoor and outdoor use. It is applied on smooth and nonporous surfaces, such as concrete, tiles, marble, mosaic, metal surfaces, gypsum boards, cement boards and heat insulating polystyrene panels.

- ✓ Provides ideal adhesion conditions for the application of tile grouts, putty, pressed cement screed, thermal insulation slabs, plaster, etc. on exterior and interior surfaces

Shades	Packaging
Light grey	750mL, 3L, 10L



0-5%



8-12 m²/L



2-3 h



Superbond Primer

Quartz primer

- ✓ Ideal for smooth and non-absorbent surfaces
- ✓ Provides ideal adhesion conditions for the application of pressed cement screed, thermal insulation slabs, plaster, putty, tile grout etc. on exterior and interior surfaces
- ✓ Perfect adhesion on cement, tiles, metallic surfaces, plaster etc.
- ✓ Ready-to-use

Shades	Packaging
Brownish red	750mL, 3L, 10L





Pool Paint

2-component epoxy pool paint

- ✓ Ideal for swimming pools
- ✓ Excellent resistance to water, chlorine and pool chemicals
- ✓ Excellent adhesion and long lasting protection

Shades	Packaging
White, Light Blue (Gloss)	3.5L

 5% Epoxy Thinner
 8-10 m²/L
 1-2 h



Epoxy Thinner

- ✓ Thinner for epoxy pool paint and all other epoxy paints

Packaging
750mL



Road Marking Paint

Acrylic road marking paint

- ✓ Ideal for marking roads, parkings and fields
- ✓ Fast drying and high reflectance
- ✓ Excellent resistance to weathering

Shades	Packaging
White, Yellow	750mL, 2,5L, 25kg

 5-10% T350 / T400
 1-4 m²/L
 10-20'



Silver

Aluminum paint for temperatures up to 200°C

- ✓ Suitable for exhausts, fireplaces, chimneys, heaters, barbecues and industrial applications

Shades	Packaging
Silver	180mL, 375mL, 750mL

 No dilution
 12-14 m²/L
 2-3 h
 





Paint Remover

Paint and varnish remover

- ✓ Removes old coatings without affecting the surface
- ✓ Dichloromethane free

Packaging

375mL, 750mL



2-4 m²/L

15-40'



Brush Solvent T300

- ✓ Thinner for 1K solvent based paints applied by brush or roller

Packaging

375mL, 750mL, 5L, 15L



Spray Gun Solvent T350

- ✓ Universal thinner for 1K or 2K solvent based paints applied by spray gun

Packaging

375mL, 750mL, 5L, 15L



Nitro Solvent T400

- ✓ Thinner for solvent based paints, varnishes and primers applied by spray gun

Packaging

750mL, 5L, 15L



1. BEFORE YOU START



Do you have sufficient paint?

Step 1. Make sure you have enough paint by calculating the total area of all surfaces you want to paint (walls: width x height + ceiling: room width x length).

Step 2. Divide the result by the paint coverage.

Step 3. Multiply by the amount of coating layers required, as stated in the product instructions.

smart tip

- For a more accurate calculation of the total surface, subtract the areas of the surfaces that are not to be painted (e.g. windows, doors etc.).

Do you have enough time?

Step 1. Consider the number of coats to be applied and the drying time.

smart tip

- Ideally, the sequence to be followed is: wooden surfaces, ceilings, walls.

Are the conditions right?

Do not apply products at temperatures below 5°C or above 35°C, under conditions of high relative humidity or on surfaces that are exposed to direct sunlight.

2. PREPARATION OF THE ROOM AND SURFACE



Protect the room and surfaces

Step 1. Protect the floor with corrugated cardboard and furniture with dust sheets.

Step 2. Apply paper tape to doors, window frames, etc. and to any "cut ins", as needed.

Step 3. Remove door knobs and sockets or cover them with paper tape.

Repair any flaws in the surfaces

Step 1. Wipe the dust and remove loose material.

Step 2. Remove dust from holes and cracks.

Step 3. Apply a suitable putty with a spatula widthwise to the crack in alternating directions.

Step 4. Let dry completely in accordance to packaging instructions and sand.

smart tip

- To remove mold, apply mold cleaner on the stain and wipe off with a dry cloth.

Priming the surface

Apply one coat of suitable primer following the packaging instructions regarding dilution, ambient conditions and drying time.

smart tip

- Selecting the suitable primer is essential for stabilization of the surfaces, coverage of stains when applying an intermediate layer for changes from dark to lighter color shades and for maximizing the hiding power of the top coat (PreColor Primer).

3. APPLYING PAINT

Cutting in



Step 1. Begin by cutting in around the edges of the ceiling, skirting boards, doors, window frames, closets, sockets, etc. using a suitable brush.

smart tip

- Apply the paint in smooth movements, holding the brush close to its bristles and pushing gently.

Painting the surface

Step 1. With a roller, apply paint to an area of approx. 30cm x 30cm in a bottom-to-top stroke, as close as possible to the edges.

Step 2. Gently apply a second coat in the same direction.

smart tip

- When painting ceilings, use a roller with an extension pole and apply the second coat crosswise.



B. PAINTING OF WOODEN SURFACES

1. BEFORE YOU START

Step 1. It is preferable to remove the doors from their hinges and paint them horizontally. If this is not possible, use paper tape to cover edges where needed.

2. PREPARING THE SURFACE



Sand and remove dust

Step 1. Use abrasive paper or a sander and remove any imperfections and roughen the surface; this will improve adhesion of the paint that you will apply.

Step 2. Remove residues and dust.

Repair any flaws in the surfaces

Step 1. Repair any cracks or holes using acrylic putty.
Step 2. Let the surface dry completely and sand it with abrasive paper or a special polishing sponge.

Priming the surfaces

Step 1. Apply one coat of suitable primer following the packaging instructions regarding dilution, ambient conditions and drying time.

smart tip

- Selecting the suitable primer is essential for stabilization of the surfaces, coverage of stains and when applying an intermediate layer for changes from dark to lighter color shades.

3. APPLYING THE PAINT



Cutting in

Step 1. Begin by cutting in around doors and window frames, using a brush.

Painting the surface

Step 1. Apply the paint using a roller (sponge) in top-to-bottom strokes.

Step 2. Apply the second coat according to the instructions on the packaging.

smart tip

- Ensure that the room is sufficiently ventilated.

C. PAINTING METAL SURFACES

1. BEFORE YOU START

Do you have sufficient paint? Are the conditions right?

Step 1. For railings, calculate the required amount of paint based on the length.

Step 2. For large metal surfaces (e.g. garage doors), calculate the total surface area.

2. PREPARING THE SURFACE



Sand and remove dust

Step 1. Sand the metal surface with abrasive paper or a polishing sponge until it becomes dull.

Step 2. Remove residues and dust.

Step 3. Wipe the surface with a cloth soaked in brush solvent.

Priming the surface

Step 1. Apply a suitable primer for better adhesion and long-lasting surface protection.

Step 2. When the surface is completely dry, sand and remove dust.

smart tip

- Edges may need more applications in order to achieve proper coverage.

3. APPLYING THE PAINT

Step 1. Apply the first coat paying special attention to the edges and the second coat according to the instructions on the packaging.

smart tip

- Apply an additional coat for extra protection of edges and decorative elements.





Technical Support

210.5589.400

Monday-Friday 09:00-15:00, Athens Time
NO ORDERS

customercare@vitex.gr

vitex.gr/en | vitextherm.gr/en | hermes.gr.com/en

